

BOBMAN PRO

Versatile, strong and reliable – *easy to operate*



BOBMAN Pro is a little compact machine with hydraulic propulsion, which makes it able to use several different tools depending on the customers' needs. The transition period is done very smoothly, since there is minimal obstacles related to it, and it only takes approximately one minute. The hydraulic lift arm makes it possible to raise and lower tools according to the customers' situation, which makes it very versatile and a real pleasure to operate.

Many different tools can be attached to the BOBMAN Pro, according to the situation, some of the tools are as follows; a single brush with a diameter of 1 meter, weed brush for mechanical weed control of pathments, side brush, in addition, it is also possible to mount a hydraulic scraper with a side brush.

Maneuverable

BOBMAN Pro is extremely maneuverable since it only requires a turning diameter of 1.0 meter.

Hydraulic propulsion

The hydraulic propulsion ensure stability and a consistent driving without risking getting an overheating engine. There is no wear on the brakes, so you can rely on a smooth and safe drive every time. The hydraulic propulsion is available with either 1WD or 3-wheel drive.

Scraping, sweeping and spreading disinfection powder

It is possible to add a scraper with a diameter of 1,0 meter to the BOBMAN Pro.

The side brush is 0,7 meters wide and can be mounted together with the scraper without any difficulties.

The disinfection box can contain 10 liters and is mounted on the opposite side of the side brush, which enables it to be mounted together.



Technical Data

Motor	1 cylinder, Diesel HATZ
Fueltank.....	5 l
Speed.....	8 km/h.
Drive	1 or 3 WD
Weight	400 kg
Height	1,20 m
Length	1,20 m
Width	1,00 m



BOBMAN FEEDER WITH CONVEYORS

New

Self-loading feeder



Spreading chopped straw



In cooperation with our customers, we have been able to develop a new design for our current BOBMAN Feeder, and the result speaks for itself. To improve the shattering of straw, lime and water, we have installed a conveyor belt, which has increases the capacity of the scattered quantity with 200 %.

BOBMAN Feeder comes in two different variants;
1 wheel drive with manual loading or
3 wheel drive with self-loading.



Technical Data

Motor.....	1 cylinder, Diesel HATZ
Fuel tank.....	5 litres
Speed.....	8 km/h
Drive	1 or 3 WD
Weight	550 kg
Height.....	1.5 m
Length.....	2.5 m
Width.....	1.5 m
Volume	600 l



Sale and Demonstration:



Jydeland Maskinfabrik A/S

Drammelstrupvej 2 · 8400 Ebeltoft · Denmark

Tlf. 0045 86 36 33 00 · jydeland@jydeland.dk

www.jydeland.dk



 MADE IN DENMARK

BOBMAN



THE PERFECT SOLUTION
FOR ANIMALS AND HUMANS

BOBMAN S

Scraping, sweeping and spreading – Heavy work made nice and easy



BOBMAN S is spreading the chopped material in a smooth and precise quantity underneath the cattle from a distance of 0-4 meters. The usage of the shattered material needed is reduced significantly compared with manual spreading, and is perfectly suited for robot stables.

Maneuverable

BOBMAN S is a compact machine that only requires a turning diameter of 1,8 meter. The box can accommodate up to 900 liters.

Brush and scraper

In order to respond to the differentiation in the height at our customers' stables, we have made sure that the scraper has a high clearance. Furthermore, it has a side brush with a diameter of 0,75 meters mounted, which sweeps the beds effectively before spreading new material. In addition, the BOBMAN S is able to drive up steep climbs.

Model

The BOBMAN S can be delivered with 1 or 3-wheel drive.

Technical Data

Motor	1 cyl. Diesel HATZ
Speed.....	8 km/h.
Drive.....	1 or 3 WD
Weight	450 kg
Height.....	1,20 m
Length	2,40 m
Width	1,00 m
Sweep dia	0,70 m
Scrape width	1,00 m
Spread distance.....	0-3 m
Capacity	5-900 l



Desinfection box. Volume: 10 l.

BOBMAN FL

Self-loading spread machine – quick and efficient

The BOBMAN FL has the same features and benefits as BOBMAN S, however the BOBMAN FL is able to front load the shattered material. BOBMAN FL offers everything in one machine, while retaining the size of the BOBMAN S and its abilities. This means that BOBMAN FL is also perfectly suited for robot stables.



Bobman FL is selfloading



Desinfectionbox. Volume: 10 l.

Technical Data

Motor	1 cylinder	Length	2,40 m
Motor.....	Diesel HATZ	Width	1,00 m
Fueltank.....	5 l	Sweep dia	0,70 m
Speed.....	8 km/h.	Scrape width	1,00 m
Drive	3 WD	Spread distance.....	0-3 m
Weight	450 kg	Capacity	500 l
Height.....	1,20 m		

BOBMAN SL

Self-loading spread machine – quick and effective



BOBMAN SL is designed for the large dairy producers who want clean cubicle beds, while still being able to scrape and spread sawdust or chopped straw. All this is done at the same time without having to compromise with the quality.

Maneuverable

BOBMAN SL is 1.2 wide and need a turning diameter of just 2.4 meters.

Technical Data

Motor	2 cylinder, watercooled	Length	2,70 m
Motor.....	Diesel KUBOTA	Width	1,20 m
Fueltank.....	15 l	Sweep dia	0,70 m
Speed.....	12 km/h.	Scrape width	1,20 m
Drive	3 WD	Spread distance.....	0-4 m
Weight	950 kg	Capacity	1000 l
Height.....	1,70 m		



Bobman SL is selfloading



Extra. Feedturner



Desinfection box. Volume: 30 l.



Scraping, sweeping and spreading at once

BOBMAN COMFORT

New

Self-loading spread machine – Quick and effective

We have developed our BOBMAN Comfort in order to fulfill the need of applying green bedding inside the stables. The machine is able to fulfill these needs by applying separated manure solids while maintaining its normal function of shattering a mix of chopped straw, lime and water. It is also possible to use the BOBMAN Comfort for inorganic material such as hydrated lime or pulverized gypsum in the stables.

The BOBMAN Comfort is able to load 1,1 m³ of green bedding or mixed material, which can be shattered directly on the beds. The BOBMAN Comfort have a brush attached to it, so it is able to clean the beds and manure from the floor in one go, while it is shattering new materials on the beds. This makes cleaning and maintenance a real joy, while improving the hygiene in the stables. It will prevent diseases and improve the health and well-being of the cows in the stable.



Technical Data

Motor.....	2 cyl. water-cooled
Motor.....	diesel Kubota
Fuel tank.....	15 l
Speed limit.....	12 km/h
Pull.....	3 WD
Weight	900 kg
Height	1.7 m
Length.....	2.8 m
Width.....	1.2 m
Spread length	0-4 m
Sprinkle box	1100 l

